MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Artline JYUNSHIN MARKER K-177,199

(Black)(Blue)(Red)(Green)(Yellow)(Brown)(Orange) (Purple)(Yellow Green)(Ochre)(Light Blue)(Pink) Artline JYUNSHIN MARKER INK KR-ND

(Black)(Blue)(Red)(Green)(Yellow)(Brown)(Orange) (Purple)(Yellow Green)(Ochre)(Light Blue)(Pink)

General Use Permanent marker MSDS Number EA3007B-4901

MANUFACTURER

Company Name Shachihata Inc.

Address 4-69, Amazuka-cho, Nishi-ku, Nagoya City, 451-0021, Japan

Telephone Number ++ 81 52 521 3600 Fax Number ++ 81 52 521 3899

2. COMPOSITION / INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Hazardous Ingredients

Chemical or Common Name(s)	wt.%	Blue ,Green	Ochre, Black,Red	CAS(TSCA) Number	EINECS Number
1-Propanol		80~90	70~80	71-23-8	200-746-9
Benzenemethanol		_	1~10	100-51-6	202-859-9
Chemical or Common Name(s)	wt.%	wt.% Yellow,Brown,Orange,Purple, Yellow Green,Light Blue,Pink		CAS(TSCA) Number	EINECS Number
1-Propanol		80~	90	71-23-8	200-746-9
Benzenemethanol	1~10			100-51-6	202-859-9

EU symbol(s) and risk phrase(s) is specified in 15. REGULATORY INFORMATION.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Flammable liquid with a solvent odor. May cause allergic skin reaction.

POTENTIAL HEALTH EFFECT

No data available

POTENTIAL ENVIRONMENTAL EFFECTS

No data available

MATERIAL SAFETY DATA SHEET

4. FIRST AID MEASURES

INHALATION Move to well ventilated place.

See medical advice immediately.

EYE

Immediately flush with plenty of water.

See medical advice immediately.

SKIN

Wipe off with dry cloth and wash with mild soap.

See medical advice immediately.

INGESTION

See medical advice immediately.

PROTECTION TO FIRST - AIDERS

No data available

NOTE TO PHYSICIAN

Treatment may vary with condition of victim and specifics of incident.

FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Highly Flammable

EXTINGUISHING MEDIA

Dry chemical powder, foam or carbon dioxide.

FIRE FIGHTING INSTRUCTIONS

Wear full fire-fighting turn-out gear and respiratory protection.

ACCIDENTAL RELEASE MEASURES

LAND SPILL

Wipe off with dry cloth.

WATER SPILL Contain spilled liquid with sand or earth.

Do not use combustible materials, such as sawdust.

7. HANDLING AND STORAGE

HANDLING:

Use only in the well-ventilated areas.

Avoid contact with skin or eyes, or clothing.

Avoid inhalation and ingestion. Avoid high temp. and fire. Wash throughly after handling.

STORAGE:

Store in a cool, dry, well-ventilated location.

Keep away from heat, sunlight. Keep away from children.

MATERIAL SAFETY DATA SHEET

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT VALUES

OSHA PEL (1994)

[1-Propanol] TWA 200 ppm (500mg/m³)

ACGIH TLV (2003)

TWA 200 ppm

[1-Propanol] EN LIMIT (2000/39/EN)

Not established

EXPOSURE CONTROLS

Occupational Exposure Controls

Engineering Controls

Use exhaust ventilation to keep airborne concentration below exposure limits.

Personal Protection

Respiratory Protection

Use with local exhaust ventilation, when in long use.

Hand Protection

Not required, but wear safety gloves, if necessary.

Eye Protection

Not required, but wear safety glasses, if necessary.

Skin Protection

To prevent any contact, wear impervious clothing such as gloves, apron, as appropriate.

Environmental Exposure Controls

Not established

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Liquid

Odor minor solvent odor Boiling Point / Boiling Range No data available

Flash Point 25 ℃

Explosive Properties

Relative Density (g/cm³)

Solubility [Water]

No data available
0.9~1.0 g/cm³
Insoluble

MATERIAL SAFETY DATA SHEET

10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID

No data available

STABILITY

No data available

MATERIALS TO AVOID

No data available

HAZARDOUS REACTIONS / DECOMPOSITION PRODUCTS

No data available

11. TOXICOLOGICAL INFORMATION

Acute Toxicity (RTECS: 2004-11)

[1-Propanol]

Oral LD₅₀ (rat) 1,870 mg/kg Inhalation LC₅₀ (rat) 4,000 ppm/4H Skin LD₅₀ (rabbit) 5,040 mg/kg

[Benzenemethanol]

12. ECOLOGICAL INFORMATION

ECOTOXICITY

No data available

BIOACCUMULATIVE POTENTIAL

No data available

OTHER ADVERSE EFFECTS

No data available

13, DISPOSAL CONSIDERATIONS

Comply with all federal, state, EU, national and local regulations.

Do not dump this product into sewers, on the ground or into any body of water.

14. TRANSPORT INFORMATION

UN CLASS 3 UN Packing Group (PG) II

UN NUMBER 1210

Proper Shipping Name Printing ink, flammable

MATERIAL SAFETY DATA SHEET

15. REGULATORY INFORMATION

Refer to any other federal, state, EU, national and local regulations.

OSHA STATUS: This product is hazardous under 29 CFR 1910.1200.

TSCA STATUS: All components on TSCA INVENTORY.

CERCLA REPORTABLE QUANTITY (40 CFR 117,302):

Not applicable

SARA TITLE III: Not applicable

This product is classified as follows,

[1-Propanol]: [F,Xi] R:11-41-67 S: (2-)7-16-24-26-39

[Benzenemethanol]: [Xn] R:20/22 S: (2-)26

Symbol: F (Highly Flammable)

Xi (Irritant) Xn (Harmful)

Risk Phrase: 11 (Highly flammable)

20/22 (Harmful by inhalation and if swallowed)

41 (Risk of serious damage to eyes)

67 (Vapours may cause drowsiness and dizziness.)

Safety Advice: 2 (Keep out of the reach of children.)

7 (Keep container tightly closed.)

16 (Keep away from sources of ignition – No smoking.)

24 (Avoid contact with skin.)

26 (In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.)

39 (Wear eye/face protection.)

Please refer to any other EU, national and local measures.

16. OTHER INFORMATION

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Shachihata Inc.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Shachihata Inc. assumes no legal responsibility for use or reliance upon this information.