according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® Ready-To-Use Power Cleaner and Degreaser

Version 1.2

Print Date 10/20/2016

Revision Date 09/21/2016

SDS Number 350000029141

1. PRODUCT AND COMPANY IDENTIFICATION

Product information		
Product name	:	SC Johnson Professional® Ready-To-Use Power Cleaner and Degreaser
Recommended use	:	Hard Surface Cleaner
Manufacturer, importer, supplier	:	S.C. Johnson & Son, Inc. 1525 Howe Street Racine WI 53403-2236
Telephone Emergency telephone number	:	+18005585252 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Skin irritation	Category 2	Causes skin irritation.
Eye irritation	Category 2B	Causes eye irritation.

Labelling

Hazard symbols Exclamation mark

Signal word Warning

Hazard statements Causes skin and eye irritation.

Precautionary statements

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Specific treatment (see supplemental first aid instructions on this label).

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® Ready-To-Use Power Cleaner and Degreaser

Version 1.2

Print Date 10/20/2016

Revision Date 09/21/2016

SDS Number 350000029141

IF ON SKIN: Wash with plenty of soap and water.
If skin irritation occurs: Get medical advice/ attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/ attention.
Take off contaminated clothing and wash before reuse.
Wear protective gloves.
Wash hands thoroughly after handling.
Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Benzyl alcohol	100-51-6	1.00 - 5.00
Sodium C14-17 Alkyl Sec Sulfonate	Mixture 68608-26-4	1.00 - 5.00
Diisopropanolamine	110-97-4	1.00 - 5.00
Ethyleneglycol Monohexylether	112-25-4	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
Skin contact	:	Wash off with plenty of water. Take off contaminated clothing and wash before reuse.
Inhalation	:	No special requirements.
Ingestion	:	No special requirements

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® Ready-To-Use Power Cleaner and Degreaser

Version 1.2

Print Date 10/20/2016

Revision Date 09/21/2016

SDS Number 35000029141

5. FIREFIGHTING MEASURES Suitable extinguishing : Use water spray, alcohol-resistant foam, dry chemical or media carbon dioxide. Specific hazards during : Container may melt and leak in heat of fire. firefighting Further information Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear personal protective equipment. Wash thoroughly after handling. Environmental Outside of normal use, avoid release to the environment. precautions Methods and materials : Dike large spills. Clean residue from spill site. for containment and cleaning up 7. HANDLING AND STORAGE Handling Precautions for safe : Avoid contact with skin, eyes and clothing. handling For personal protection see section 8. Use only as directed. KEEP OUT OF REACH OF CHILDREN AND PETS. Wash thoroughly after handling. Advice on protection Normal measures for preventive fire protection. : against fire and explosion Storage **Requirements for storage** Keep container closed when not in use. . areas and containers 3/12

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® Ready-To-Use Power Cleaner and Degreaser

Version 1.2

Revision Date 09/21/2016

Print Date 10/20/2016

SDS Number 350000029141

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

Respiratory protection	:	Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.	
Hand protection	:	Wear suitable gloves.	
Eye protection	:	No special requirements.	
Skin and body protection	:	No special requirements.	
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	liquid
Color	:	purple
Odor	:	solvent-like
Odour Threshold	:	Test not applicable for this product type
рН	:	11.88 at (25 C)
Melting point/freezing point	:	0 C
Initial boiling point and boiling range	:	Test not applicable for this product type
		4/12

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® Ready-To-Use Power Cleaner and Degreaser

Version 1.2

Revision Date 09/21/2016

Print Date 10/20/2016

SDS Number 35000029141

Flash point	: does not flash
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: The product is not flammable.
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapour pressure	: Test not applicable for this product type
Vapour density	: Test not applicable for this product type
Relative density	: 1.0034 g/cm3 at 25 C
Solubility(ies)	: soluble
Partition coefficient: n- octanol/water	: Test not applicable for this product type
Auto-ignition temperature	: Test not applicable for this product type
Decomposition temperature	: Test not applicable for this product type
Viscosity, dynamic	: Test not applicable for this product type
Viscosity, kinematic	: Test not applicable for this product type
Oxidizing properties	: Test not applicable for this product type
	5/12

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Profession	nal® Ready-To-Use Power Cleaner and Degreaser		
Version 1.2	Print Date 10/20/2016		
Revision Date 09/21/2016	SDS Number 350000029141		
Volatile Organic Compounds Total VOC (wt. %)*	 1.6 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations 		
Other information	: None identified :		
10. STABILITY AND REACTIVITY	(
Possibility of hazardous reactions	: If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.		
Conditions to avoid	Direct sources of heat.		
Incompatible materials	Do not mix with bleach or any other household cleaners. Strong bases		
Hazardous decomposition products	: Thermal decomposition can lead to release of irritating gases and vapours.		
11. TOXICOLOGICAL INFORMAT			
Emergency Overview	: Warning		

	-
Acute oral toxicity	: LD50 > 2000 mg/kg
Acute inhalation toxicity	: LC50 > 5 mg/L
Acute dermal toxicity	: LD50 > 2000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® Ready-To-Use Power Cleaner and Degreaser

Version 1.2

Print Date 10/20/2016

Revision Date 09/21/2016

SDS Number 350000029141

Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin irritation	Category 2	-
Eye irritation	Category 2B	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical : None known. Condition

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure
		7/12		

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® Ready-To-Use Power Cleaner and Degreaser

Version 1.2

Print Date 10/20/2016

Revision Date 09/21/2016

SDS Number 350000029141

				time
Benzyl alcohol	static test LC50	Pimephales promelas (fathead minnow)	460 mg/l	96 h
Sodium C14-17 Alkyl Sec Sulfonate	LC50	Danio rerio (zebra fish)	1 - 10 mg/l	96 h
Diisopropanolamine	LC50	Danio rerio (zebra fish)	1,466 mg/l	96 h
Ethyleneglycol Monohexylether	static test LC50	Pimephales promelas (fathead minnow)	140 mg/l	96 h

Toxicity to aquatic invertebrates

1		Value	Exposure time
EC50	Daphnia magna (Water flea)	230 mg/l	48 h
NOEC	Daphnia	51 mg/l	21 d
EC50	Daphnia magna (Water flea)	9.81 mg/l	48 h
EC50	Daphnia magna Straus	277.7 mg/l	48 h
static test EC50	Daphnia magna (Water flea)	145 mg/l	48 h
	NOEC EC50 EC50 static test	flea) NOEC Daphnia EC50 Daphnia magna (Water flea) EC50 Daphnia magna Straus static test Daphnia magna (Water	flea)flea)NOECDaphniaEC50Daphnia magna (Water flea)EC50Daphnia magna StrausEC50Daphnia magna StrausStatic test EC50Daphnia magna (Water flea)

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® Ready-To-Use Power Cleaner and Degreaser

Version 1.2

Print Date 10/20/2016

Revision Date 09/21/2016

SDS Number 350000029141

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Benzyl alcohol	static test EC50	Pseudokirchneriella subcapitata (green algae)	770 mg/l	72 h
Sodium C14-17 Alkyl Sec Sulfonate	EC50	Desmodesmus subspicatus (green algae)	> 61 mg/l	72 h
Diisopropanolamine	EC50	Desmodesmus subspicatus (green algae)	339 mg/l	72 h
Ethyleneglycol Monohexylether	static test EC50	Desmodesmus subspicatus (green algae)	147.128 mg/l	96 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Benzyl alcohol	92 - 96 %	14 d	Readily biodegradable
Sodium C14-17 Alkyl Sec			
Sulfonate			
Diisopropanolamine	94 %	28 d	Readily biodegradable
Ethyleneglycol Monohexylether	96.8 %	20 d	Readily biodegradable

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Benzyl alcohol	1.37 estimated	1.1
Sodium C14-17 Alkyl Sec Sulfonate	No data available	No data available
Diisopropanolamine	3.16 estimated	-0.79
Ethyleneglycol Monohexylether	5.8 estimated	1.97

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® Ready-To-Use Power Cleaner and Degreaser

Version 1.2

Print Date 10/20/2016

Revision Date 09/21/2016

SDS Number 350000029141

Mobility

Component	End point	Value
Benzyl alcohol	No data available	-
Sodium C14-17 Alkyl Sec Sulfonate	No data available	
Diisopropanolamine	Кос	43 estimated
Ethyleneglycol Monohexylether	Кос	10 estimated

PBT and vPvB assessment

Component	Results
Benzyl alcohol	Not fulfilling PBT and vPvB criteria
Sodium C14-17 Alkyl Sec Sulfonate	Not fulfilling PBT and vPvB criteria
Diisopropanolamine	Not fulfilling PBT and vPvB criteria
Ethyleneglycol Monohexylether	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

10/12

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® Ready-To-Use Power Cleaner and Degreaser

Version 1.2

Print Date 10/20/2016

Revision Date 09/21/2016

SDS Number 350000029141

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status	:	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
California Prop. 65	:	This product is not subject to the reporting requirements under California's Proposition 65.

State Right To Know

Massachusetts RTK	Benzyl alcohol	100-51-6	
	Diisopropanolamine	110-97-4	
Minnesota HSL	Benzyl alcohol	100-51-6	
No components are subject to the New Jersey "Right To Know" Act			
Pennsylvania RTKL	Water	7732-18-5	
	Benzyl alcohol	100-51-6	
	Diisopropanolamine	110-97-4	
	Ethyleneglycol Monohexylether	112-25-4	

16. OTHER INFORMATION

HMIS Ratings	
Health	2
Flammability	0
Reactivity	0

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® Ready-To-Use Power Cleaner and Degreaser

Version 1.2

Print Date 10/20/2016

Revision Date 09/21/2016

SDS Number 350000029141

NFPA Ratings	
Health	2
Fire	0
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)