SDS ID: CRAY-050

Material Name: CRAYOLA® CRYSTAL EFFECTS / ARTIC CHEMISTRY KIT

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

CRAYOLA® CRYSTAL EFFECTS / ARTIC CHEMISTRY KIT

Synonyms

CRAYOLA CRYSTAL EFFECTS; ICE MARKERS; ARTIC CHEMISTRY KIT; PRODUCT CODES: 04-1662; 04-2357; 04-5727; 58-8174; 58-8189; 74-7296; 74-7296; 74-7307

Product Description

Finished product.

Product Use

Arts and Crafts for children

Restrictions on Use

None known.

Details of the supplier of the safety data sheet

CRAYOLA LLC 1100 Church Lane

Easton, PA 18044

Phone: 1-800-272-9652

Emergency Phone #: 1-800-535-5053 or call local POISON CONTROL

E-mail: support@crayola.com

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

None needed according to classification criteria.

GHS Label Elements

Symbol(s)

None needed according to classification criteria.

Signal Word

None needed according to classification criteria

Hazard Statement(s)

None needed according to classification criteria.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

Other Hazards

None known.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
-----	----------------	---------

Material Name: CRAYOLA® CRYSTAL EFFECTS / ARTIC CHEMISTRY KIT

Not available	Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards.	100
---------------	--	-----

SDS ID: CRAY-050

Component Related Regulatory Information

The chemical identity and/or percentage of composition is being withheld as a trade secret.

Section 4 - FIRST AID MEASURES

Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

Skin

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

Eyes

It is unlikely that emergency treatment will be required. Flush eyes with plenty of water for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

Call a poison control center or doctor immediately for treatment advice.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, regular dry chemical, regular foam, water.

Unsuitable Extinguishing Media

None known.

Hazardous Combustion Products

Oxides of carbon.

Advice for firefighters

Slight fire hazard.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Use extinguishing agents appropriate for surrounding fire. Stay upwind and keep out of low areas. Avoid inhalation of material or combustion byproducts.

Special Protective Equipment and Precautions for Firefighters

Wear protective clothing and equipment suitable for the surrounding fire.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Page 2 of 7 Issue date: 2019-10-08 Revision 4.1 Print date: 2019-10-08

Material Name: CRAYOLA® CRYSTAL EFFECTS / ARTIC CHEMISTRY KIT

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for reuse or disposal.

SDS ID: CRAY-050

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

Incompatible Materials

Oxidizing agents.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Based on available information, additional ventilation is not required.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Eye protection not required under normal conditions.

Skin Protection

Protective clothing is not required under normal conditions.

Respiratory Protection

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Glove Recommendations

Protective gloves are not required under normal conditions.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	various colors liquid	Physical State	liquid
Odor	odorless.	Color	Not available
Odor Threshold	Not available	pH	5 - 7
Melting Point	Not available	Boiling Point	100 °C
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Autoignition	Not available	Flash Point	Not

Page 3 of 7 Issue date: 2019-10-08 Revision 4.1 Print date: 2019-10-08

SDS ID: CRAY-050

Material Name: CRAYOLA® CRYSTAL EFFECTS / ARTIC CHEMISTRY KIT

available **Temperature** Not Lower Explosive Limit Not available **Decomposition temperature** available Not Upper Explosive Limit Not available Vapor Pressure available Vapor Density (air=1) 1.05 Not available **Specific Gravity (water=1)** Partition coefficient: n-Not Water Solubility (Soluble) octanol/water available Not Not available Viscosity **Kinematic viscosity** available Not **Solubility (Other)** Not available **Density** available Not **Physical Form** Liquid. Molecular Weight available

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

None reported.

Incompatible Materials

Oxidizing agents.

Hazardous decomposition products

Oxides of carbon.

Thermal decomposition products

Oxides of carbon.

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

No information on significant adverse effects.

Skin Contact

No information on significant adverse effects.

Eve Contact

No information on significant adverse effects.

Ingestion

No information on significant adverse effects.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

Page 4 of 7 Issue date: 2019-10-08 Revision 4.1 Print date: 2019-10-08

Material Name: CRAYOLA® CRYSTAL EFFECTS / ARTIC CHEMISTRY KIT

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

SDS ID: CRAY-050

Product Toxicity Data

Acute Toxicity Estimate

No data available.

Immediate Effects

None.

Delayed Effects

None.

Irritation/Corrosivity Data

None.

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

No information available for the product.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

No information available for the product.

Germ Cell Mutagenicity

No information available for the product.

Tumorigenic Data

No information available for the product.

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

Not expected to be an aspiration hazard.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Page 5 of 7 Issue date: 2019-10-08 Revision 4.1 Print date: 2019-10-08

Material Name: CRAYOLA® CRYSTAL EFFECTS / ARTIC CHEMISTRY KIT

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of in accordance with all applicable federal, state and local regulations. Recycle if possible.

SDS ID: CRAY-050

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information: UN/NA #: Not regulated

IATA Information: UN#: Not regulated

ICAO Information: UN#: Not regulated

IMDG Information: UN#: Not regulated

TDG Information: UN#: Not regulated

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

No hazard categories applicable.

U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Not listed under California Proposition 65.

Component Analysis - Inventory

Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards. (Not available)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
No	No	No	No	No	No	No	No	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	No	No	No	No	No	No

Page 6 of 7 Issue date: 2019-10-08 Revision 4.1 Print date: 2019-10-08

Material Name: CRAYOLA® CRYSTAL EFFECTS / ARTIC CHEMISTRY KIT SDS ID: CRAY-050

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 1 Fire: 1 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes New SDS: June 3, 2019

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC -European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc -Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.

Print date: 2019-10-08 Issue date: 2019-10-08 Revision 4.1

Material Name: CRAYOLA® MODEL MAGIC SDS ID: CRAY-040

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

CRAYOLA® MODEL MAGIC

Synonyms

```
CRAYOLA MODEL MAGIC: ART TUB: ART CASE: CRAYOLA MODEL MAGIC BUCKET: FUSION:
MORPHIX; PRODUCT COLORS/CODES: 03-1601; 03-4101; 03-4102; 03-4103; 03-4104; 03-4105; 03-4109; 03-
4110; 03-4116; 03-4117; 03-4118; 04-0462; 04-0478; 04-0504; 04-0506; 04-0527; 04-0533; 04-0539; 04-0563; 04-0564; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506; 04-0506
0564: 04-0565: 04-0597: 04-0598: 04-0599: 04-0607: 04-0608: 04-0609: 04-0610: 04-0611: 04-0612: 04-0613: 04-
0631; 04-0666; 04-1110; 04-1500; 04-1503; 04-1504; 04-1506; 04-1507; 04-1509; 04-1520; 04-1601; 04-6010; 04-
1907; 04-1908; 04-1951; 04-4106; 04-4107; 04-4108; 04-4401; 04-4600; 04-5354; 04-5358; 04-5401; 04-5358; 04-
5558; 04-5367; 04-5692; 04-5719; 04-6010; 04-6808; 23-0219; 23-0220; 23-2201; 23-2221; 23-2221; 23-2223; 23-
2225; 23-2226; 23-2227; 23-2228; 23-2229; 23-2230; 23-2231; 23-2232; 23-2233; 23-2234; 23-2235; 23-2237; 23-
2240; 23-2241; 23-2244; 23-2246; 23-2250, 23-2252, 23-2253; 23-2255; 23-2256; 23-2257; 23-2260; 23-2264; 23-
2270; 23-2271; 23-2272; 23-2273; 23-2274; 23-2275; 23-2276; 23-2277; 23-2278; 23-2279; 23-2402; 23-2403; 23-
2404; 23-2405; 23-2406; 23-2407; 23-2408; 23-2412; 23-2413; 23-2414; 23-2436; 23-2437; 23-2438; 23-2439; 23-
2505; 23-2900; 23-3001; 23-3004; 23-3055; 23-3072; 23-3153; 23-3302; 23-3303; 23-3304; 23-3352; 23-6001; 23-
6002; 23-6018; 23-6019; 23-6205; 23-6305; 23-6310; 23-6818; 54-2350; 54-2351; 54-2352; 57-0019; 57-0021; 57-
0022; 57-0038; 57-0044; 57-0047; 57-0048; 57-0049; 57-0176; 57-0175; 57-0177; 57-0178; 57-0179; 57-0180; 57-
0265; 57-0323; 57-2000; 57-2013; 57-2014; 57-2015; 57-2016; 57-2017; 57-2018; 57-2016; 57-2017; 57-2022; 57-
2023; 57-2024; 57-2025; 57-2032; 57-2102; 57-2103; 57-2104; 57-4003; 57-4004; 57-4005; 57-4006; 57-4007; 57-
4008; 57-4010; 57-4011; 57-4012; 57-4400; 57-4401; 57-4402; 57-4403; 57-4404; 57-4414; 57-4414; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404; 57-4404
4415; 57-4416; 57-4417; 57-4438; 57-4434; 57-4436; 57-4438; 57-4440; 57-4442; 57-4444; 57-4451; 57-
4452; 57-4459; 57-4462; 57-4464; 57-4474; 57-4482; 57-4486; 57-4491, 57-4494, 57-4495, 57-4496, 57-4510; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470; 57-470
7341; 74-7342; 74-7343;
```

Product Description

Finished product.

Product Use

Arts and Crafts

Restrictions on Use

None known.

Details of the supplier of the safety data sheet

CRAYOLA LLC 1100 Church Lane Easton, PA 18044 Phone: 1-800-272-9652

Emergency Phone #: Health Emergency - Call local POISON CONTROL

E-mail: support@crayola.com

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

None needed according to classification criteria.

GHS Label Elements

Symbol(s)

None needed according to classification criteria.

Signal Word

None needed according to classification criteria

Hazard Statement(s)

None needed according to classification criteria.

Page 1 of 8 Issue date: 2019-10-08 Revision 8.0 Print date: 2019-10-08

SDS ID: CRAY-040

Material Name: CRAYOLA® MODEL MAGIC

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

Other Hazards

None known.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	CAS Component Name	
Not available	Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards.	100

Component Related Regulatory Information

The chemical identity and/or percentage of composition is being withheld as a trade secret.

Section 4 - FIRST AID MEASURES

Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

Skin

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

Eyes

It is unlikely that emergency treatment will be required. Flush eyes with plenty of water for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

Contact local poison control center or physician immediately.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Water carbon dioxide, regular dry chemical, regular foam,

Page 2 of 8 Issue date: 2019-10-08 Revision 8.0 Print date: 2019-10-08

Material Name: CRAYOLA® MODEL MAGIC

Unsuitable Extinguishing Media

None known.

Hazardous Combustion Products

Oxides of carbon

Advice for firefighters

Slight fire hazard.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

SDS ID: CRAY-040

Special Protective Equipment and Precautions for Firefighters

Wear protective clothing and equipment suitable for the surrounding fire.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

None.

Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Collect spilled material in appropriate container for disposal.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Wash thoroughly after handling. Use methods to minimize dust.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

Incompatible Materials

oxidizing materials

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Based on available information, additional ventilation is not required.

Individual Protection Measures, such as Personal Protective Equipment

Eve/face protection

Eye protection not required under normal conditions.

Skin Protection

Protective clothing is not required under normal conditions.

Respiratory Protection

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Glove Recommendations

Protective gloves are not required under normal conditions.

Page 3 of 8 Issue date: 2019-10-08 Revision 8.0 Print date: 2019-10-08

SDS ID: CRAY-040

Material Name: CRAYOLA® MODEL MAGIC

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	fluffy solid compound	Physical State	solid
Odor	glue like	Color	various colors
Odor Threshold	(Slight)	pH	6.5 - 7.2
Melting Point	Not available	Boiling Point	Not available
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	0.36 - 0.5
Water Solubility	(partially soluble)	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	0.4 g/cm3
Physical Form	solid	Molecular Weight	Not available

Section 10 - STABILITY AND REACTIVITY

Reactivity

No hazard expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

None reported.

Incompatible Materials

oxidizing materials

Hazardous decomposition products

Oxides of carbon

Thermal decomposition products

SDS ID: CRAY-040

Material Name: CRAYOLA® MODEL MAGIC

Oxides of carbon

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

No information on significant adverse effects.

Skin Contact

No information on significant adverse effects.

Eye Contact

No information on significant adverse effects.

Ingestion

No information on significant adverse effects.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

Product Toxicity Data

Acute Toxicity Estimate

No data available.

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

None

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

No information available for the product.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

Germ Cell Mutagenicity

No information available for the product.

Tumorigenic Data

No data available

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

no data available.

Page 5 of 8 Issue date: 2019-10-08 Revision 8.0 Print date: 2019-10-08

SDS ID: CRAY-040

Material Name: CRAYOLA® MODEL MAGIC

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity

No information available for the product.

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with all applicable federal, state/regional and local laws and regulations. Recycle if possible.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

Further information: Not regulated as a hazardous material.

IATA Information:

Further information: Not regulated as dangerous goods.

ICAO Information:

Further information: Not regulated as dangerous goods.

IMDG Information:

Further information: Not regulated as dangerous goods.

TDG Information:

Further information: Not regulated as dangerous goods.

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

No hazard categories applicable.

U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

Page 6 of 8 Issue date: 2019-10-08 Revision 8.0 Print date: 2019-10-08

Material Name: CRAYOLA® MODEL MAGIC

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Not listed under California Proposition 65.

Component Analysis - Inventory

Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards. (Not available)

SDS ID: CRAY-040

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
No	No	No	No	No	No	No	No	No

KR - REACH CCA	MX	NZ	РН	TH-TECI	TW	VN (Draft)
No	No	No	No	No	No	No

U.S. Inventory (TSCA)

All of the components of this product are listed on the TSCA Inventory. All components of this product are listed on the DSL.

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 1 Fire: 1 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

04/29/2019 - Update to Section(s) 1.

Revision date

09/13/2018

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC -European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational

Page 7 of 8 Issue date: 2019-10-08 Revision 8.0 Print date: 2019-10-08

Material Name: CRAYOLA® MODEL MAGIC

Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc -Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

SDS ID: CRAY-040

Other Information

Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.

Print date: 2019-10-08 Issue date: 2019-10-08 Revision 8.0

SDS ID: CRAY-041

Material Name: CRAYOLA® WASHABLE MARKERS

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

CRAYOLA® WASHABLE MARKERS

Synonyms

CRAYOLA ULTRA-CLEAN BROAD LINE AND FINELINE MARKERS: CRAYOLA WASHABLE MARKERS BROAD LINE AND FINE LINE; AIRBRUSH MARKERS AND REFILLS; COLORCLICKS; SUPERTIPS: WINDOW F/X MARKERS: TRICOLOR MIARKERS: RAINBOW CONNECTOR MARKERS: MEGA POSTER MARKERS: DOODLING MARKERS: PIPOUEAK BROADLINE AND SKINNIES MARKERS; COLORING-BOOK MARKERS; BEGINNINGS MARKERS; FLIP TOP MARKERS; HEADS 'N TAILS MARKERS COLOR TWISTER; TADOODLES; GEL FX; HASSLE FREE 3-IN-1 PAINT; MINI STAMPERS; YOUNG MOM; NO-DRIP PAINT BRUSH PENS; PIP-SQUEAK SKINNIES MARKERS; RECOLORITZ; MY FIRST CRAYOLA; POWERLINES; ART KITS; ART SUPPLIES; ART TUB; ART BUDDY BACKPACK; CLASSPACKS; CREATIVITY TUB; FOR THE CURE; STORY STUDIO; INSPIRATION ART CASE; MARKER MAKER; MARKER MAKER REFILL; PIP-SQUEAKS WASHABLE MARKER KIT PREMIER ART KIT; PROJECTOR LIGHT DESIGNER; SKETCHER PROJECTOR; TELESCOPING TOWER; TUB OF FUN; TRAYOLA; SUPER-TIPS WAHABLE MARKERS KIT ULTIMATE ART SUPPLIES & EASEL; WASHABLE STAMP PAD; WINDOW MARKER & STENCIL KIT; LIGHT DESIGNER; COLOR POPS; COLOR N ERASE; EMOJI MAKER; COLOR CHEMISTRY; TAKE NOTE WASHABLE GEL MARKERS/PENS; WET ERASE: PRODUCT CODE(S): 03-9006; 03-9100; 03-9101:04-0029; 04-0030; 04-0034; 04-0035; 04-0040; 04-0054; 04-0556; 04-0057; 04-0058; 04-0092; 04-5062; 04-5055; 04-0127; 04-0130; 04-0131; 04-0133; 04-0138; 04-0139; 04-0141; 04-0142; 04-0143; 04-0146; 04-0149; 04-0151; 04-0152; 04-0174; 04-0180; 04-0208; 04-0235; 04-0236; 04-0260; 04-0265; 04-0267; 04-0268; 04-0294; 04-0296; 04-0297; 04-0298; 04-0299; 04-0334; 04-0346; 04-0348; 04-0355; 04-0363; 04-0376; 04-0379; 04-0401; 04-0436; 04-0437; 04-0438; 04-0439; 04-0400; 04-0440; 04-0455; 04-0504; 04-0506; 04-0517; 04-0521; 04-0524; 04-0530; 04-0533; 04-0546; 04-0557; 04-0559; 04-0561; 04-0563; 04-0564; 04-0573; 04-0574; 04-0575, 04-0576; 04-0577; 04-0578; 04-0580; 04-0581; 04-0583: 04-0594: 04-0595: 04-0596: 04-0597: 04-0599: 04-0598: 04-0600: 04-0601: 04-0604: 04-0610: 04-0611: 04-0612; 04-0613; 04-0619; 04-0629; 04-0630; 04-0633; 04-0635; 04-0636; 04-0637; 04-0638; 04-0639; 04-0641; 04-0648: 04-0649: 04-0650: 04-0657: 04-0661: 04-0702: 04-0703: 04-0901: 04-0911: 04-0912: 04-0919: 04-0920: 04-0923; 04-0928; 04-0944; 04-0945; 04-0981; 04-0982; 04-1900; 04-1906; 04-1910; 04-1911; 04-1912; 04-1913; 04-1914; 04-1917; 04-1918; 04-1921; 04-1923; 04-1955; 04-1970; 04-1972; 04-2008; 04-2009; 04-2010; 04-2014; 04-2016; 04-2300; 04-2467; 04-2469; 04-2522; 04-2532; 04-2536, 04-2537; 04-2539; 04-2540; 04-2542; 04-2543; 04-2544; 04-2549; 04-2555; 04-2580; 04-2581; 04-2900; 04-2910; 04-3300; 04-3301; 04-3302; 04-3303; 04-3304; 04-3305; 04-3306; 04-3307; 04-3315; 04-4600; 04-4610; 04-4830; 04-5029, 04-5053; 04-5054; 04-5055; 04-5056; 04-5062; 04-5087; 04-5189; 04-5195; 04-5226; 04-5227; 04-5229; 04-5350; 04-5354; 04-5355; 04-5358; 04-5367; 04-5400; 04-5401; 04-5555; 04-5556; 04-5674; 04-5678; 04-5679; 04-5680; 04-5692; 04-5700; 04-5701; 04-5708; 04-5709; 04-5713; 04-5714; 04-5715; 04-5716; 04-5718; 04-5802; 04-5803; 04-5807; 04-5808; 04-5811; 04-5812; 04-5813; 04-5814; 04-5815; 04-5819; 04-5820; 04-5821; 04-5844; 04-5850; 04-5855; 04-5856; 04-5860; 04-5869; 04-5873: 04-5874: 04-5900: 04-6006: 04-6016: 04-6701: 04-6806: 04-6807: 04-6808: 04-6810: 04-6814: 04-6816: 04-6828: 04-6829: 04-6847: 04-6866: 04-6868: 04-6870: 04-6873: 04-6876: 04-6879: 04-6897: 04-6898: 04-6900: 04-6901; 04-6918; 04-6919; 04-0427; 04-6932; 04-6933; 04-6937; 04-7001; 04-7004; 04-7005; 04-8722; 04-8723; 04-8727; 04-8732; 04-8733; 04-8734; 04-8735; 04-8737; 04-8800; 52-3348; 54-4012; 54-6201; 54-6202; 54-6203; 54-6205: 54-6206: 56-8106. 56-8150: 57-4515: 58-0101: 58-0383: 58-0381: 58-1849: 58-2194: 58-2201: 58-2262: 58-2284; 58-2287; 58-2288; 58-2289; 58-2290; 58-2291; 58-2292; 58-2293; 58-2298; 58-2300; 58-2307; 58-2316; 58-2321; 58-2342; 75-2471; 58-2908; 58-2910; 58-2911; 58-2912; 58-5020; 58-5021; 58-5048; 58-5050; 58-5051; 58-5053; 58-5057; 58-5058; 58-5067; 58-5070; 58-5071; 58-5100; 58-5101; 58-5102; 58-5103; 58-5104; 58-5105; 58-5106; 58-5107; 58-5108; 58-5201; 58-5202; 58-5203; 58-5204; 58-5205; 58-5206; 58-5207; 58-5208; 58-5209; 58-5210; 58-5211; 58-5212; 58-5214; 58-5880; 58-5881; 58-6006; 58-6007; 58-6023; 58-6034; 58-6038; 58-6040; 58-6042; 58-6044; 58-6046; 58-6104; 58-6106; 58-6414; 58-6501; 58-6503; 58-6504; 58-6505; 58-6511; 58-6518; 58-6532; 58-6534; 58-6535; 58-6549; 58-6552; 58-6562; 58-6563; 58-6565; 58-6566; 58-6569; 58-6570; 58-6571:58-6572: 58-6573: 58-6583: 58-6592: 58-6595: 58-6596: 58-6602: 58-6603: 58-6606: 58-6607: 58-6632: 58-6637; 58-6638; 58-6664; 58-7100; 58-7102; 58-7200; 58-7208; 58-7212; 58-7401; 58-7509; 58-7512; 58-7513; 58-7514; 58-7613; 58-7621; 58-7624; 58-7625; 58-7628; 58-7629; 58-7630; 58-7631; 58-7632; 58-7634; 58-7635; 58-7636; 58-7637; 58-7638; 58-7639; 58-7640; 58-7641; 58-7645; 58-7646; 58-7647; 58-7648; 58-7649: 58-7660; 58-

Page 1 of 9 Issue date: 2019-10-08 Revision 9.0 Print date: 2019-10-08

Material Name: CRAYOLA® WASHABLE MARKERS

SDS ID: CRAY-041

```
7661; 58-7662; 58-7664; 58-7700; 58-7713; 58-7714; 58-7715; 58-7730; 58-7800; 58-7801; 58-7208; 58-7808; 58-
7809; 58-7812; 58-7813; 58-7816; 58-7819; 58-7832; 58-7836; 58-7851; 58-7852; 58-7853; 58-7854; 58-7855; 58-
7856; 58-7857; 58-7858; 58-7959; 58-7860; 58-7861; 58-7863; 58-7868; 58-7869; 58-7900; 58-7910; 58-
8106; 58-8125; 58-8128; 58-8129; 58-8133; 58-8134; 58-8135; 58-8136; 58-8137; 58-8138; 58-8146; 58-8148; 58-
8151; 58-8163; 58-8165; 58-8166; 58-8171; 58-8173; 58-8177; 58-8178; 58-8179; 58-8180; 58-8181; 58-8194; 58-
8186; 58-8185; 58-8186; 58-8187; 58-8200; 58-8201; 58-8208; 58-8210; 58-8211; 58-8212; 58-8713; 58-8214; 58-
8215; 58-8217; 58-8220; 58-8221; 58-8230; 58-8231; 58-8232; 58-3233; 58-8234; 58-8235; 58-8236; 58-8237; 58-
8238; 58-8260; 58-8261; 58-8268; 58-8310; 58-8329; 58-8330; 58-8331; 58-8338; 58-8340; 58-8343; 58-8350; 58-
8356; 58-8358; 58-8359; 58-8353; 58-8553; 58-8610; 58-8700, 58-8701; 58-8703; 58-8704; 58-8708, 58-8709; 58-
8719: 58-8720: 58-8721: 58-8722: 58-8723: 58-8724: 58-8725: 58-8726: 58-8727: 58-8731: 58-8732: 58-8733: 58-
8734; 58-8735; 58-8736; 58-8750; 58-8764; 58-8766; 58-9050; 58-8190; 58-8824; 58-8825; 58-8826; 58-8827; 74-
2444; 74-7059; 74-7147; 74-7150; 74-7202; 74-7210; 74-7215; 74-7270; 74-7245; 74-7246; 74-7247; 74-7248; 74-
7249; 74-7252; 74-7253; 74-7254; 74-7255; 74-7264; 74-7265; 74-7267; 74-7268; 74-7269; 74-7283; 74-7284; 74-
7285; 74-7286; 74-7287; 74-7288; 74-7289; 74-7295; 74-7296; 74-7298; 74-7304; 74-7310; 74-7311; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312; 74-7312
7321; 74-7322; 74-7324; 74-7325; 74-7326; 74-7327; 74-7328; 74-7329; 74-7330; 74-7331; 74-7332; 74-7333; 74-
7249; 74-7352; 74-7353; 74-7355; 74-7355; 74-7357; 74-7346; 74-7356; 74-7358; 74-7359; 74-7360; 74-7362; 74-
7363; 74-7364; 74-7365; 74-7366; 74-7367; 74- 7370; 81-1324; 81-1365; 81-1466; 81-2013; 81-8123; 81-8326; 81-
8128; 81-8324; 81-8325; 99-0064; 99-0066; 99-0067; 99-0068; 99-0075; INT-2061; INT-2062
```

Product Description

Finished product.

Product Use

Arts and Crafts

Restrictions on Use

None known.

Details of the supplier of the safety data sheet

CRAYOLA LLC

1100 Church Lane Easton, PA 18044

Phone: 1-800-272-9652

Emergency Phone #: Health Emergency - Call local POISON CONTROL

E-mail: support@crayola.com

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

None needed according to classification criteria.

GHS Label Elements

Symbol(s)

None needed according to classification criteria.

Signal Word

None needed according to classification criteria

Hazard Statement(s)

None needed according to classification criteria.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Page 2 of 9 Issue date: 2019-10-08 Revision 9.0 Print date: 2019-10-08

SDS ID: CRAY-041

Material Name: CRAYOLA® WASHABLE MARKERS

Storage

None needed according to classification criteria.

Disposal

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

Other Hazards

None known.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
Not available	Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards.	100

Component Related Regulatory Information

The chemical identity and/or percentage of composition is being withheld as a trade secret.

Section 4 - FIRST AID MEASURES

Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

Skin

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

Eves

It is unlikely that emergency treatment will be required. Flush eyes with plenty of water for at least 15 minutes. If eye irritation persists, get medical advice/attention.

Ingestion

Call a poison control center or doctor immediately for treatment advice.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Water carbon dioxide, regular dry chemical, regular foam,

Unsuitable Extinguishing Media

None known.

Hazardous Combustion Products

Oxides of carbon

Advice for firefighters

Page 3 of 9 Issue date: 2019-10-08 Revision 9.0 Print date: 2019-10-08

Material Name: CRAYOLA® WASHABLE MARKERS

Slight fire hazard.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

SDS ID: CRAY-041

Special Protective Equipment and Precautions for Firefighters

Wear protective clothing and equipment suitable for the surrounding fire.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Collect spilled material in appropriate container for disposal.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

Incompatible Materials

oxidizing materials

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Based on available information, additional ventilation is not required.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Eye protection not required under normal conditions.

Skin Protection

Protective clothing is not required under normal conditions.

Respiratory Protection

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Glove Recommendations

Protective gloves are not required under normal conditions.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	article containing liquid	Physical State	liquid
Odor	odorless	Color	various colors

Page 4 of 9 Issue date: 2019-10-08 Revision 9.0 Print date: 2019-10-08

SDS ID: CRAY-041

Material Name: CRAYOLA® WASHABLE MARKERS

Odor Threshold	Not available	рН	6 - 9.5
Melting Point	Not available	Boiling Point	Not available
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1.06 - 1.12
Water Solubility	(Soluble)	Partition coefficient: n- octanol/water	Not available
Viscosity	1.06 - 4.2 cps	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
Physical Form	article containing liquid	Molecular Weight	Not available

Section 10 - STABILITY AND REACTIVITY

Reactivity

No hazard expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

None reported.

Incompatible Materials

oxidizing materials

Hazardous decomposition products

Oxides of carbon

Thermal decomposition products

Oxides of carbon

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Page 5 of 9 Issue date: 2019-10-08 Revision 9.0 Print date: 2019-10-08

Material Name: CRAYOLA® WASHABLE MARKERS

Inhalation

No information on significant adverse effects.

Skin Contact

No information on significant adverse effects.

Eye Contact

No information on significant adverse effects.

Ingestion

No information on significant adverse effects.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

SDS ID: CRAY-041

Product Toxicity Data

Acute Toxicity Estimate

No data available.

Immediate Effects

None

Delayed Effects

None

Irritation/Corrosivity Data

None

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

No information available for the product.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

Germ Cell Mutagenicity

No information available for the product.

Tumorigenic Data

No data available

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

no data available.

Medical Conditions Aggravated by Exposure

No data available.

SDS ID: CRAY-041

Material Name: CRAYOLA® WASHABLE MARKERS

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity

No information available for the product.

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with all applicable federal, state/regional and local laws and regulations. Recycle if possible.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

Further information: Not regulated as a hazardous material.

IATA Information:

Further information: Not regulated as dangerous goods.

ICAO Information:

Further information: Not regulated as dangerous goods.

IMDG Information:

Further information: Not regulated as dangerous goods.

TDG Information:

Further information: Not regulated as dangerous goods.

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

No hazard categories applicable.

U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Page 7 of 9 Issue date: 2019-10-08 Revision 9.0 Print date: 2019-10-08

SDS ID: CRAY-041

Material Name: CRAYOLA® WASHABLE MARKERS

Not listed under California Proposition 65.

Component Analysis - Inventory

U.S. Inventory (TSCA)

All of the components of this product are listed on the TSCA Inventory.

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 1 Fire: 1 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

04/29/2019 - Update to Section(s) 1.

Revision date

09/13/2018

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US): CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC -European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods: ISHL - Japan Industrial Safety and Health Law: IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc -Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental,

Page 8 of 9 Issue date: 2019-10-08 Revision 9.0 Print date: 2019-10-08

Material Name: CRAYOLA® WASHABLE MARKERS

SDS ID: CRAY-041

consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.

Page 9 of 9 Issue date: 2019-10-08 Revision 9.0 Print date: 2019-10-08