

LPS LABORATORIES MSDS MATERIAL SAFETY DATA SHEET

Section 1 - Product Identification and Use

Manufacturer's Name:
LPS Laboratories

Address (Number Street): 4647 Hugh Howell Road

Address (City, State, Zip): Tucker, GA 30085-5052 Trade Name: LPS F-104° Fast Dry Cleaner/Degreaser

Chemical Family: Blended Compound

HMIS Labeling:

Part Numbers: 04920, 04928, 04905, 04955

Telephone Number: 770-934-7800 Emergency Telephone Number: 1-800-424-9300 Chemtrec Outside U.S.: 703-527-3887

Hazardous Materials Description and proper shipping name (49 CFR 172.101):

Compound, Boiler, Preserving Liquid NMFC 50093 SUB 2 BRL/BXS CL55 CONSUMER COMMODITY ORM-D

TSCA Inventory:

All of the ingredients are listed on the TSCA inventory.

Health: 1 Flammability: 2 Reactivity: 0

Section 2 - Hazardous Ingredients / Identity Information

Ingredients	CAS Numbers	%WW	OSHA PEL	ACGIH TLV	OTHER LIMITS
Solvent Naphtha (Petroleun	n) 64742-88-7	70-90	100 ppm	100 ppm	200 ppm STEL
1-Methoxy-2-Propanol Acet	ate 108-65-6	5-10	N.E.	N.E.	None
n-Propoxypropanol	1569-01-3	5-10	N.E.	N.E.	None
d-Limonene	5989-27-5	1-5	N.E.	N.E.	None
Carbon dioxide propellant (aerosol only)	124-38-9	2-3	10,000 ppm	5,000 ppm	30,000 ppm

Section 3 - Physical / Chemical Characteristics

Boiling point (F °): Approx. 315°F	Specific gravity (H₂0 = 1): 0.777
Vapor pressure (mmHg) @ 100ºF: <5	Percent volatile by volume (%): 100
Vapor density (Air = 1): 4.8-5.3	Evaporation rate (n-Butyl Acetate= 1): 0.15
Solubility in water: Slight	

Appearance and odor: Clear, colorless liquid with mild odor.

Section 4 - Fire and Explosion Hazard

Flash point (method used): 104°F TCCFlammable limits (by volume 25° C): LEL: 0.7%UEL: 6.0%Extinguishing media: Foam, dry chemical, or carbon dioxide. Do not use a direct stream of water.Special fire fighting procedures: Self-contained breathing apparatus should be provided to fire fighters. Water fog may be used to cool closed containers.Water fog may

Unusual fire and explosive hazards: Intensive heat created by fire will cause aerosols to burst.

Section 5 - Health Hazard Data

Primary route(s) of entry: Inhalation, eyes.

Health hazard/effects of over exposure:

Inhalation: Headache, dizziness, nausea and anesthetic effects.

Eyes: Irritation.

Skin: Repeated or prolonged contact may cause drying and defatting of skin.

Ingestion: Low order of oral toxicity; however, minute amount aspirated into lungs during ingestion may cause severe pulmonary injury.

Medical conditions aggravated by exposure: Pre-existing eye, skin and respiratory disorders may be aggravated.

Chemicals listed as potential carcinogen: NTP: No IARC: No OSHA: No

Emergency and first aid procedures:

Inhalation: Move to fresh air and contact physician. Administer oxygen if breathing is difficult.

Eyes: Flush eyes with plenty of water, contact a physician.

Skin: Wash with soap and water; apply medicated skin cream.

Ingestion: Do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs. Get medical attention.

Section 6 - Reactivity Data

Stability: Stable **Conditions to avoid:** Avoid sparks or open flames. See handling and storage precautions. **Incompatibility (Materials to avoid):** Strong oxidizing agents.

Hazardous decomposition products: Thermal decomposition may yield carbon monoxide.

Hazardous polymerization: Will not occur.

Section 7 - Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled: Ventilate area by opening doors and windows. Remove ignition sources. Remove leaking container and transfer remaining product to another vessel. Prevent product from going into sewers and water sources by diking or impounding. Using appropriate safety equipment, mop up or soak up with absorbent material, such as sand or clay.

Waste disposal methods: Dispose of in accordance with local, state and federal regulations for petroleum distillates. **RCRA Hazardous Waste No.:** This material has the RCRA characteristic of ignitability and would have the hazardous waste number D001.

CERCLA Reportable Quantity: N.A.

SARA TITLE III Chemicals: None

Precautions to be taken in handling and storage: Store as Level 3 Aerosol (NFPA 30B). Store away from ignition sources and avoid breathing vapors.

Section 8 - Control Measures

Respiratory Protection: None required if good ventilation is maintained. For enclosed areas, use NIOSH approved organic vapor cartridge respirator or self-contained breathing apparatus.

Ventilation: Local exhaust is usually adequate. However, mechanical ventilation should be used when spraying in enclosed areas. Vapor concentration should be minimized as much as possible.

Protective gloves: Use solvent resistant gloves for liquid handling.

Eye protection: For spraying or splashing of solvent, use face shield or goggles.

Other protective equipment: As necessary to prevent prolonged or repeated skin contact.

Work/hygienic practices: Wash hands with soap and water after use and/or before breaks, lunch and at the end of work periods. Remove contaminated clothing and launder before reuse.

Section 9 - Preparation Date of MSDS

The foregoing technical information and recommendations are compiled from sources that are believed to be accurate and reliable. However, they are supplied without warranty or guarantee of any kind either expressed or implied. The purchaser is responsible for selecting and determining the suitability of products for purchaser's particular needs and we disclaim any responsibility for improper applications or misuse of our products in any manner whatsoever.

January 31, 2003 Fred Fugitt, Technical Services Chemist Ed Williams, Manager of Research and Development LPS Laboratories

Form #2650 MSDS LPS F-104° Fast Dry Cleaner/Degreaser

