

Page 1/7

Safety Data Sheet

SDS #: A-1067	Toner	-Black	
Issuing Date 2009-06-23	Revision Date	2015-04-01	Version 1 Active
1. Product and Company I	dentification		
Trade Name Toner	for TN550 Brother Replacement Cartridge, TN580 Brother Replacement Cartridge		
Part no. 006R01417, 006R0	1418		
Color Pure substance/preparation	Black Preparation		
Identified uses	Xerographic printing		
Distributor	Xerox Corporation Rochester, NY 14644		
Emergency telephone	Safety Information US: (800) 275-9376 Chemical Emergency only (Chemtrec) (800) 424-9300		
2. Hazards Identification			
The product contains no substar	nces which, in the form uti	y Overview lized and at their given concentra s to health.	ations, are considered to be
Color Black	Appearance Powder	Physical state Solid	Odor Faint
Classification of the subs	stance or mixture		
Customer use / Cartridges a	and sealed bottles		
OSHA Hazard Classification	information is given for ex	which contains a mixture / preparation (posure to the article as sold and use expected to result in exposure to the thod of dispensing.	ed by the customer. Intended

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

Label elements

Signal Word	None

None required



SDS # : A-1067

Toner -Black

Page 2/7

Precautionary Statements	None required
Potential Health Effects	
Principle Routes of Exposure Acute toxicity	Inhalation
Eyes	No known effect
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect
Chronic effects	
Main symptoms	Overexposure may cause: mild respiratory irritation similar to nuisance dust.
Aggravated medical conditions	None under normal use conditions
Environmental hazard	The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

3. Composition/Information on Ingredients

Chemical Name	CAS-No	Weight %
Styrene-acrylate copolymer	26655-10-7	88-92
Carbon Black	1333-86-4	3-6
Polypropylene wax	9003-07-0	2-4
Solvent Black Dye	8005-02-5	2-4

4. First Aid Measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk
Notes to physician	Treat symptomatically
Protection of first-aiders	No special protective equipment required
5. Fire-Fighting Measures	

Flammable properties	Not flammable. Will not readily ignite
Flash point	Not applicable
Suitable extinguishing media	Use water spray or fog; do not use straight streams, Foam
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire
Specific hazards arising from the chemical	



SDS #: A-1067

Toner -Black

Page 3/7

Hazardous combustion products

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Hazardous decomposition products due to incomplete combustion Carbon oxides Nitrogen oxides (NOx)

Not impact sensitive Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Protective Equipment and Precautions for Firefighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.

6. Accidental Release Measures		
Personal Precautions	Avoid breathing dust	
Environmental Precautions	No special environmental precautions required	
Methods for containment	Prevent dust cloud	
Methods for cleaning up	Prevent dust cloud. Sweep up or vacuum up spillage and collect in suitable container for disposal. Use non-sparking tools and equipment.	
Other Information	The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.	
7. Handling and Storage		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice Avoid dust accumulation in enclosed space Prevent dust cloud	
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place Store at room temperature	
Hygiene measures	None under normal use condtions	
8. Exposure Controls/Personal Protection		

Exposure guidelines Product information

ACGIH TLV TWA	10 mg/m ³ (inhalable particles)	
ACGIH TLV TWA	3 mg/m ³ (respirable dust)	
OSHA PEL TWA	15 mg/m ³ (total dust)	
OSHA PEL TWA	5 mg/m ³ (respirable dust)	
Xerox Exposure Limit	2.5 mg/m ³ (total dust)	
Xerox Exposure Limit	0.4 mg/m ³ (respirable dust)	



SDS # :	A-1067
---------	--------

Toner -Black

Page 4/7

Other Information

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1 mg/m³) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.

Occupational Exposure Controls

Engineering measures	None under normal use conditions
----------------------	----------------------------------

Personal Protective Equipment

Customer use / Cartridges and sealed bottles

Respiratory protection	No special protective equipment required
Eye/Face protection	No special protective equipment required
Skin and body protection	No special protective equipment required
Hand protection	No special protective equipment required

9. Physical and Chemical Properties

Appearance Odor threshold pH Flash point Softening point	Powder Not applicable Not applicable Not applicable 49 - 60 °C / 12	20 - 140 °F	Odor Physical state Color Boiling point/range Autoignition temperature	Faint Solid Black Not applicable Not applicable
Flammability Lim	iits in Air	Not applicable		
Explosive proper Vapor pressure Vapor density Water solubility Viscosity Partition coefficie Evaporation rate Melting point/ran Freezing point Decomposition to Specific gravity	ent ge	Fine dust dispersed in all source is a potential dus Not applicable Not applicable Negligible Not applicable Not applicable Not applicable Not determined Not applicable Not determined Not determined ~ 1		entrations, and in the presence of an ignition

10. Stability and Reactivity

Reactivity

No dangerous reaction known under conditions of normal use



SDS # : A-1067	Toner -Black Page 5/7		
Stability	Stable under normal conditions		
Incompatible products	None		
Conditions to Avoid	Prevent dust cloud Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard		
Hazardous Decomposition Products None under normal use			
Hazardous polymerization	Hazardous polymerization does not occur		
Hazardous reactions	None under normal processing		
11. Toxicological Information			

The toxicity data noted below is based on the test results of similar reprographic materials.

Acute toxicity

Acute toxicity				
Product information				
Irritation	No skin irri	itation, No eye irritation		
LD50 Oral	> 5 g/kg	(rat)		
LD50 Dermal	> 5 g/kg	(rabbit)		
LC50 Inhalation:	> 5 mg/L	(rat, 4 hr)		
Eyes	No known	effect		
Skin	No known	effect		
Inhalation	No known	effect		
Ingestion	No known	No known effect		
Chronic toxicity				
Product information				
Chronic effects	No known effects under normal use conditions			
Main symptoms	Overexposure may cause: mild respiratory irritation similar to nuisance dust.			
Aggravated medical conditions	None under normal use conditions			
Carcinogenicity	See "Othe	r Information" in this section.		
Chemical Name		IARC	NTP	
Carbon Black		2B		

Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". The classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

Other toxic effects

Product information Sensitization Mutagenic effects Target organ effects	No sensitization responses were observed Not mutagenic in AMES Test None known	
Other adverse effects	None known	
Aspiration Hazard	Not applicable	



SDS # : A-1067

Toner -Black

Page 6/7

12. Ecological Information

Ecotoxicity

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

13. Disposal Considerations		
Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.	
Contaminated packaging	Dispose of in accordance with local regulations.	
14. Transport Informatio	on	

Note

This material is not subject to regulation as a hazardous material for shipping.

15	Dogulatory	Information	
15.	Regulatory	mormation	

OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

International Inventories

TSCA	Complies
DSL/NDSL	Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. **Clean Water Act**

Clean Water Act

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

TSCA

TSCA 12(b) does not apply to this product.



U.S. State Regulations

California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS-No	California Prop. 65
Carbon Black	1333-86-4	Carcinogen

U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. Other Information		
Issuing Date	2009-06-23	
Revision Date	2015-04-01	
Revision Note	Updated for OSHA HazCom 2012 and WHMIS 2015	

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end